

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

formerly shewed me in the Lord Roberts his Garden against the Ferry, to whom both he and his Father were Gardiners.

88

Virginia Plane-tree. Ray 1707. Platanus Occidentalis aut Virginensis. Park. 1427. Platanus Occidentalis pilulis minoribus Herm. H. Leyd. 499. Platanus Novi Orbis solijs Vespertiliorum alas referentibus, globulis parvis Alm. Bot. 300. This differs from the Oriental Plane in having its Leaves hoary and less jagged, with Fruit smaller and not so rough. Mr. John Tradescant sirst brought this into England from Virginia, a little before the Year 1640. since which time it has been much increased, and makes a very Ornamental shady Tree, interspers'd between Horse-Chestnuts and Limes, to whose Magnitude it commonly grows.

III. A Relation of an Hydropical Case, in which the Gall Bladder was distended to an unusual bigness. By Mr James Yonge, F. R. S. Surgeon at Plimouth.

Rs. Dyer was about 30 Years old, a Mother of feveral Children, and very healthful till last January; when, after frequent watching upon an extraordinary occasion, she was vexed with a Pain in her Belly, like the Cholick, but proved the Dropsey Ascites; and grew so fast in despite of all I could do to help it, that March the 9th, being almost suffocated, I was fore'd to tapp her by an hollow Needle in the usual Place, and to repeat the Operation so often as she filled: And by that way discharged the several Quantities of Water, at the times here under mentioned.

				Pints.
March	9th	I drew -	-	9
	14			8
April	. 2	-		I 2
	16		-	10
May	17	-	-	14
	31		***************************************	I 4,
June	14			14
a	24			I 4
July	7	-	-	17
	21		-	16
	30		-	16
August	6	Allerent Personalist		14
	17			14
•	26			13
Sept.		5, & 22		ΙΙŢ
Octob.	I			3
	30			15
				2142

In the space of Eight Months I drew Two hundred fourteen Pints and an half of Water. All the while I was pumping that out, I endeavour'd by all the means I could to stop the leak within, but in vain: She dy'd November 4. 1711. and opening her Belly, we found the following remarkable and incredible Things.

From the Belly issued 14 Pints of a greenish Serum, mixt with a very purulent Matter, not a sittle fetid.

The Intestines, especially the Colon, almost every where Livid, and adher'd in many places to the Peritonaum, altho they had been so long Immersed in Water.

The Omentum was also black, and almost consumed.

The Liver, which I expected to be indurated, was free of all Faults, only two Superficial Ulcers on the Left Lobe.

Both

Both that and the Peritoneum (which are usually sull of Hydatides in Dropsical Persons) were wholly free of them; but on the Somach and Guts were many such.

But we were mightily surprized, to find a great Bladder distended like that of an Ox, to fill up almost the whole Region of the Liver and Ventriele, and adhering to the adjacent Parts so simply, that we could not separate them without dissiculty, and get it out whole. Our surprize, at such a prodigious Appearance, turned into Astonishment, when we found it the Gall Bladder, and that by its Distention it had torn the Liver asunder; one part of which adhered to the Left side of this monstrous Costis, and another part behind it, towards the Back; and both expanded with it, and tastened to it, like as the temporal Muscle to the Scull.

The whole weighed Ten Pounds and Twelve Ounces. It had no Passage to let out the Matter it contained, altho' we squeez'd it hard to that purpose; nor could we find any by Probes: So that we were forced to make way by a Knife, and so let out of it seven Pinrs of a black Liquor like Coffee; which having stood one Night in a Bason, near a Quart of thick yellow Faces sub-

sided.

The Liquor in this Bladder, and what we found in her Belly after her Death, added to what was evacuated before by Paracentesis, amounts to 235 Pints.

Besides the prodigious quantity of Matter which sill'd this great Bag, we found several pieces of Membranes like Gut, or Bladder cut into pieces: What it was, or how it came there, I can't Conjecture.

It was very wonderful, that during the whole time of her Sickness, she ejected by Urine near as much as she drank; and yet by Computation, she leaked into the Abdomen near a Pint every 24 Hours, from March to November.

When her Belly was near full, her Thighs and Legs used to swell, and grew discoloured like an approaching Gangren; but both went off after tapping, by the help of Friction, and a warm Lotion.

The Bladder, and adhering part of the Liver, is dry-

ing, to be fent you by the first opportunity.

There were four of the Faculty present with me, who can testify the truth of this Report.

IV. A Description of the Head of a monstrous Calf. In a Letter from the Reverend Mr. John Craig, Vicar of Gillingham in Dorsetshire, to William Burnet, Esq. F. R. S.

SIR,

HE strangeness of the following Relation will easily excuse me for troubling you so soon with another Letter. A Butcher did (this Morning) bring me in the Head of a Calf (which he had taken out of a Cows Belly.) The Upper Jaw was divided into two halfs, as far as to the Dura Mater: Each half had a distinct Eye and Nostril: And the Under Jaw was bent round so entirely, that it lay exactly between the two halfs of the Upper Jaw, making the Tongue lye upon the Forehead, about two Inches above the Teeth of the Under Jaw, and in the Fissure of the Upper Jaw. This Preternatural Division of the Upper Jaw was not covered with Hair, but with a Cutis of a florid Colour. The Calf was come to its full time, and made great struglings when the Butcher knock'd the Cow on the Head; which by some Symptoms they judg'd would have